



**HELLENIC GAS
TRANSMISSION
SYSTEM OPERATOR**

357-359, MESSOGION AVE.,
15231 ATHENS, GREECE
Tel.: 210 6501258
Fax : 210 6501551

**TECHNICAL JOB
SPECIFICATION**

199/1

REVISION 0

DATE 05/04/2011

**HIGH PRESSURE (HP) TRANSMISSION
SYSTEMS**

SUPPLY OF MATERIALS

Job Spec. No 199/1
 Revision 0
 Date 05-04-2011
 Page 2/6

QUALITY ASSURANCE PAGE
CHANGES LOG
REVISIONS LOG

0	05-04-2011	FIRST ISSUE	PQ DPT	VG
Rev. No	Rev. Date	REASON FOR CHANGE	Made By	Approved By

Job Spec. No 199/1
Revision 0
Date 05-04-2011
Page 3/6

CONTENTS

REFERENCE DOCUMENTS

- 1.0 SCOPE**
- 2.0 MATERIAL SUPPLIED BY THE CLIENT**
- 3.0 MATERIAL SUPPLIED BY THE CONTRACTOR**
- 4.0 RECEIPT, STORAGE AND RESPONSIBILITY**
- 5.0 MATERIAL ACCOUNTS**



HELLENIC GAS TRANSMISSION SYSTEM OPERATOR

Job Spec. No 199/1
Revision 0
Date 05-04-2011
Page 4/6

REFERENCE DOCUMENTS

Job Spec. No. 199/2
[Transport and stringing of pipes]

ELOT EN 1594
[Gas supply systems - Pipelines for maximum
operating pressure over 16 bar - Functional
requirements]

1.0 SCOPE

This specification covers the conditions for the supply of materials for the construction of natural gas pipelines Metering and Regulating Stations.

For material supply and storage, the requirements of the following, listed in order of precedence, shall be fulfilled:

- This specification
- **ELOT EN 1594**
[Gas supply systems - Pipelines for maximum operating pressure over 16 bar - Functional requirements]

2.0 MATERIAL SUPPLIED BY THE CLIENT

The materials to be supplied by client will be described in the Special Conditions, or the Material Requisition.
Unless otherwise specified, the installation and fitting of these materials is part of the Contract.

Contractor shall be aware that all materials supplied by the client will be controlled by a computerized system.

Contractor, before starting construction activities, shall make himself acquainted with the procedures foreseen for the good operation of the system and during fabrication and erection works shall fully comply with them.

3.0 MATERIALS SUPPLIED BY THE CONTRACTOR

The contractor shall deliver and install all other materials necessary for the completion and testing of the works. These materials shall conform to all applicable DESFA Specifications.

For materials not covered by these specifications, the Contractor shall provide evidence of their suitability for the proposed scope of work.

All materials supplied by the Contractor and forming a permanent part of the installations shall be new and of an approved quality.

4.0 RECEIPT, STORAGE AND RESPONSIBILITY

Line pipes supplied by the client will be transported to the construction site or to storage sites, unloaded and deposited on supports by the contractor as provided in **Job Spec. No. 199/2**. All other materials supplied by the Client will be transported to storage sites as mutually agreed upon between the Contractor and the client representative and shall be unloaded by the Contractor using equipment approved by the client representative without additional payment.

Job Spec. No 199/1
Revision 0
Date 05-04-2011
Page 6/6

On receipt of materials supplied by Client the Contractor shall, together with the Client representative, count and check the materials at the storage site and immediately note any visible defect or damage, including damages to the coating.

The Contractor shall also check the materials received with the invoice, and/or material receipt referring to all item numbers, dimensions, ratings, etc.

Any discrepancy shall be reported to the client representative immediately.

Hereafter the Contractor is responsible for the materials supplied, including any defect except manufacturing defects later ascertained.

Those repairs to pipe ends, which may be made by grinding within the zone being heat-affected during welding, as well as repairs of minor damages on the pipe coating, shall be made by the Contractor at no extra cost to the client.

Other damages shall be brought to the attention of the client representative. Thereafter the damaged section shall be cut out and the new ends shall be machined according to be the applicable specification.

All materials shall be protected carefully against weather attack (this includes sunlight where applicable) and fouling during transport, storage, and stringing. If any material gets fouled, it shall be cleaned before installation. All small items shall be stored in a lockable, weatherproof place to be provided by the Contractor.

5.0

MATERIAL ACCOUNTS

The Contractor shall make an exact survey of the materials and quantities in the completed installation. The difference between these surveyed quantities and the received quantities (deducting any returned quantity) shall be paid for by the Contractor.

Only pipes longer than 7 m may be returned. Pipes containing one weld seam joining two pipes, the shorter at least 2 m long, are acceptable provided that they consist of two original pipe ends and are accompanied by the radiographic film of the joint and the acceptance certificate thereof.

Materials handed back to the client shall be in good condition and suitably protected against deterioration during normal storage conditions. Pipes and fittings shall be clean and all areas of bare metal sealed with Tectyl or similar. Identification stamps, however, will be kept free of Tectyl and coated with suitable transparent enamel. The stamped area shall be highlighted by an encirclement of white paint.